VOLUME 2

Warm. Welcoming. Wood Countertops.



VT CenterPointe wood countertops are unfinished, giving you more flexibility to achieve a personalized look to match any design aesthetic. CenterPointe wood countertops should be oiled, stained or sealed with polyurethane or varnish. A personalized look is the perfect finishing touch.



www.fabricatorssupply.net | 800.298.0644



*Warranty is void if the surface is not finished or treated, as directed



HEVEA WOOD

Hevea Wood Top (shown with oil)

Adding warmth and elegance, either side of the Hevea countertop is available to you, giving you more flexibility for a personalized look to match any design aesthetic.

Tree

- 75 feet tall x 3 feet diameter / 90 trees per acre
- 6 years to mature
- 19 to 25 years of latex production before trees dies and is harvested

Properties

- Easy to saw, machine, plane, turn, bore
- Easy to finish due to smooth surface
- Fastener hold equals hardwood
- Maple family dense grain character easily controlled in kiln dry process minimal shrinkage

Environmental

- Most ecologically "friendly" lumber used in today's furniture industry
- Unlike other woods cut exclusively to produce furniture, Hevea is harvested after it completes it's latex producing cycles & dies

ACACIA WOOD

The wood grain variation of Acacia brings unique beauty and sophistication. Either side of the Acacia countertop can be used. One side is light with dark grains and the other is dark with light grains.

Tree

- 50 feet to 90 feet tall x 3 feet to 5 feet diameter
- Ready to harvest in as little as 5 years
- 15 to 20 year lifespan

Properties

- · Easy to saw, machine, plane, turn, bore
- · Easy to finish due to smooth surface
- Long-lasting wood durability to scratch resistance
- · Adaptable to poor soil types less susceptible to disease and fast growing

Environmental

- Plays an important role acting as a nurse crop for native forest regeneration by enriching and fertilizing the soil
- · Fixes loose soil structures to prevent floods/landslides
- Acacia plantations reduce greenhouse gases





When you utilize environmentally friendly VT CenterPointe, you are indeed supporting a more sustainable environment. Both Acacia and Hevea are rapidly renewable species.



VT CENTERPOINTE OFFERING

Two Wood Species

- Hevea
- Acacia

• 4" x 98" x 1-1/2" Backsplash

Accessories (available in both species)

• 12" x 18" x 1-1/2" Cutting boards

DISPLAY PROGRAM AVAILABLE

Sizes

- 25" x 50" x 1-1/2" Kitchen
- 25" x 98" x 1-1/2" Kitchen
- 25" x 122" x 1-1/2" Kitchen
- 39" x 74" x 1-1/2" Island

59 x 74 x 1-1/2 Islanu

VT CENTERPOINTE ORDER

PO#:	Ship To Address:	
Date:		
Sold To:		1 0 0 000
Contact:	State:Zip:	

Kitchen Size width x length x thickness	Hevea List Price	Quantity	Acacia List Price	Quantity
25" x 50" x 1-1/2"	\$261.00		\$284.00	
25" x 98" x 1-1/2"	\$511.00		\$549.00	
25" x 122" x 1-1/2"	\$725.00		\$784.00	
Island Size				
39" x 74" x 1-1/2"	\$550.00		\$601.00	
Backsplash Size				
4" x 98" x 1-1/2"	\$69.00		\$76.00	
Chopping Block Size	Save 10% by p	urchasing 5 chc	opping blocks (No m	ixing species)
12" x 18" x 1-1/2" (5 pack)	\$511.00		\$601.00	
12" x 18" x 1-1/2" (each)	\$112.42		\$132.22	

Acacia Wood Top (shown with stain)



Acacia Wood Top

10 mm

The following care and maintenance instructions will help extend the life and performance of your CenterPointe wood countertop.

Prior to Installation:

Keep product in its packaging and away from humidity or direct heat until you are ready to install it. The wood may bow slightly upward at the edges if it is stored for a long period of time. To return the surface to its original condition, turn it over and lay it on its face until it's reformed to its original shape. Check the color and finish of your surface before installation. You cannot return or exchange the product once it has been altered or installed. Keep in mind that wood is a natural material, so each surface can vary slightly in color, tone, and characteristics. This adds to its beauty.

TO PREVENT MOISTURE DAMAGE, SEAL YOUR WOOD SURFACE IMMEDIATELY (WITHIN 24 HOURS) AFTER REMOVING THE PACKAGING AND THE CLEAR PLASTIC WRAP. MAKE SURE ALL RAW SURFACES AND BARE EDGES ARE COVERED.

CENTERPOINTE RECOMMENDED PRODUCTS FOR SEALING ARE: HOWARD OIL (raw wood needs 3-4 coats), HOWARD CONDITIONER (applied after oil, once a month to rejuvenate), OR VARATHANE POLYURETHANE.

During Installation:

Reseal any area that have been cut with at least 3-4 coats of sealer. Always use protective equipment when cutting and installing the wood countertops. For installation instructions, refer to our website <u>www.fabricatorssupply.net</u> and click on CenterPointe Butcher Block Countertop Installation.

For Daily Use:

Wash the countertop immediately after each use with a mild dish soap and water taking care to thoroughly dry the surface. Do not use harsh or abrasive cleansers or chemicals to clean the countertop. Do not place hot items directly on the surface. Avoid cutting directly on the wood, as this could damage the surface. If you choose an oil finish, keep in mind there is maintenance required. Depending on how dry the environment is, it could require oiling every other week. Otherwise, once a month is good according to wood top manufacturers.

Warranty:

This surface comes with a 90-day limited warranty.

Exchanges or refunds are available for products damaged during fabrication. Such damage may include delamination and joint separation. This warranty does not cover damage caused by improper storage, handling, alteration, or installation. Be sure to carefully read the care and maintenance instructions. Immediately report any damage due to transportation. If the package appears to be damaged upon receipt, open the package and thoroughly inspect the product.



Shop Located at: 828 NP Ave Fargo, ND 58102 ph 701.298.0644 800.298.0644 fx 701.235.0584 Showroom Located at: 806 NP Ave Fargo, ND 58102 Shop Located at: 3700 Global Drive Bismarck, ND 58501 ph 701.223.4307 fx 701.323.7143 Showroom Located at: 171 Eastdale Dr. Bismarck, ND 58501 ph 701.751.6024 130 Riverside Road Billings, MT 59101 ph 406.245.6770 fx 406.245.6975 4501 103rd Ct NE, Ste 170 Blaine, MN 55014 ph 763.270.0580 fx 763.444.1803 12811 Alfalfa Lane SW Pillager, MN 56473 ph 800.298.0644 fx 218.824.5621